


HENSEL

PASSION FOR POWER.



NEW

Product information as at: 08/2015

ENYCON

Assemblies for Construction Sites

Hensel Electric India Pvt. Ltd.

Industrial Electrical Power Distribution Systems

35, Kunnam Village,
Sunguvarchathram Walajabad Road,
4th km behind Samsung / Flextronics
Sriperumbudur 631 604.
Kanchipuram Dist., Tamil Nadu
INDIA

Tel: +91 44 6712 7700 / 7106 2233

Fax: +91 44 6712 7724

Email: info@hensel-electric.in

Web: www.hensel.in



ENYCON


- For temporary power distribution upto 630A
- Degree of Protection: IP44 - IP65
- Thermoplastic (polycarbonate)
- Insulated and shock proof
- Dust proof & Water tight
- Anti - Corrosive
- Inner cover for additional protection for unskilled operators
- Impact proof
- In accordance with IEC 60 439 part 4 "Particular requirements for Assemblies for Construction sites"




Outgoings via CEE sockets up to 63 A



Inner cover for additional protection for unskilled operators




Choice of mounting frames



Glow wire test passed with 960° C

Sr. No.	Cat No.	Enclosure System / Dimensions	Degree of Protection	Cable Entry	Incomer	Outgoings	Outgoing Protection
---------	---------	-------------------------------	----------------------	-------------	---------	-----------	---------------------



Sr. No.	Cat No.	Enclosure System / Dimensions	Degree of Protection	Cable Entry	Incomer	Outgoings	Outgoing Protection
---------	---------	-------------------------------	----------------------	-------------	---------	-----------	---------------------

1.	CP 3001 CP 3001W	Thermoplastic Polycarbonate 700x900x525mm	IP 44 ▲ IP 65 ▲▲	M32 / M25 Each 2Nos.	40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm	32A 5Pin Socket 1No. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 1No.	32A TP MCB - 1No. 16A TP MCB - 2Nos. 16A SP MCB - 1No.
	CP 3002 CP 3002W	Thermoplastic Polycarbonate 700x900x525mm	IP 44 ▲ IP 65 ▲▲	M32 / M25 Each 2Nos.	40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm	32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 3Nos.	32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos.
	CP 3003 CP 3003W	Thermoplastic Polycarbonate 700x900x525mm	IP 44 ▲ IP 65 ▲▲	M32 / M25 Each 2Nos.	40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm	16A 5Pin Socket 1No. 16A 3Pin Socket 4Nos.	16A TP MCB - 1No. 16A SP MCB - 4Nos.
	CP 3004 CP 3004W	Thermoplastic Polycarbonate 700x900x525mm	IP 44 ▲ IP 54 ▲▲	M32 / M25 Each 2Nos.	40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm	32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 3Nos.	32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos.
	CP 3005 CP 3005W	Thermoplastic Polycarbonate 700x900x525mm	IP 44 ▲ IP 65 ▲▲	M32 / M25 Each 2Nos.	63A FP 100mA RCCB with terminals suitable up to 25 Sq.mm	63A 5Pin Socket 1No. 32A 5Pin Socket 1No. 16A 3Pin Socket 1No.	63A TP MCB - 1No. 32A TP MCB - 1No. 16A SP MCB - 1No.

Note: CEE plugs to be ordered separately

Application References



